

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURE APPROVAL

Whelen Engineering Company, Incorporated
SA615EA

<u>Part Name and Number</u>	<u>Design Data and Approval Means</u>	<u>Eligible On</u>
Anti-Collision Strobe Light System. Model HD, HR or HS (14 or 28 Volt)	Whelen "Engineering & Assembly Drawings for Model H Series Aviation & Anti-Collision Strobe Light System" dated 4/20/70. STC SA615EA Amended 11/7/72	Aero Commander *100, 100-180, 111, 112, 500, 500-A, 500-B, 500-S, 500-U, 520, 560, 560-A, 560-E, 560-F, 680, 680-E, -F, 720, 680FL, 680FL(P), 680T, V, W, 681, 690, 685 American Aviation *AA-1, *AA-1A, AA-5 Beech 23, A23, A23A, A23-19, -24, 19A, B19, M19A, B23, C23, A24, A24R, 35, A35, B35, C35, D35, E35, F35, G35, 35R, H35, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 35-33, 35-A33, 35-B33, 35-C33, 35-C33A, 36, A36, E33, E33A, E33C, F33, F33A, F33C, 50(1-23A), B50(L-23B), C50, D50(L-23E), D50A, D50B, D50C, D50E, E50 (L-23D, RL-230), F50, G50, H50, J50, 95-55, 95-A55, 95-B55, (T42A) 95-B55D, 95-C55, 95, B95, B95A, D95A, E95, D55, D55A, E55, E55A, 56TC, A56TC, 58, 65(L23F), A65, A65-8200, 65-80, 65-A80, 65-A80-8800, 65-B80, 65-88, B90, C90, 65-90, 65-A90, 65-A90-1 (U-21A, RU-21A, RU-21D), 65-A90-2 (RU-21B), 65-A90-3 (RU-21C),

COPY

Part Name
and Number

Anti-Collision Strobe
Light System. Model
HD, HR or HS (14 or
28 Volt)

Design Data and
Approval Means

Whelen "Engineering &
Assembly Drawings for
Model H Series Aviation
& Anti-Collision Strobe
Light System" dated
4/20/70. SFC SA615EA
Amended 11/7/72

Eligible On

Beech 70, 60, A60,
99, 99A, 100

Bellanca 14-19-3A,
17-30, 17-30A, 17-31A,
17-31ATC, 7EC, 7ECA,
7FC, 7GC, 7GCA, 7GCA,
7GCB, 7GCB, 7GCBC,
7HC, 7JC, 7KCB

Bell ***206A, 206B,
47B, B3, D, DL, E, G,
G-2, H-1, 47G-2A,
-2A-1, -3, -3B, -3B-1
-3B-27, -4, -4A, -5,
-5A, 47J, K, J-2, J-2

Britten Norman BN-2,
-2A, -2A-2, -2A-6,
-2A-8, BN-2A, MK. III

Cessna 150, 150A, B,
C, D, E, F, G, H, J,
K, L, A150K, A150L,
172, 172A, B, C, D,
E, F, G, H, I, K, L,
M, 175, 175A, B, C,
P172D, 177, 177A, B,
177RG, 180, 180A, B,
C, D, E, F, G, H, 182,
182A, B, C, D, E, F,
G, H, J, K, L, M, N,
P, 185, 185A, B, C,
D, E, A185E, 188,
188A, B, A188, A188A,
A188B, 206, P206, P206,
B, C, D, E, TU206A,
B, C, D, E, F, TP206,
B, C, D, E, U206, U206,
B, C, D, E, F, 207,
207A, T207, T207A, 210,
210A, 210B, 210C, 210D,
210E, 210F, T-210F,
210G, T-210G, 210H,
T-210H, 210J, T210J,
210K, (205) 210-5,
(205A) 210-5A, T210K,
210L, T210L, 310, 310,
B, C, D, E, F, G, H,
I, J, 310J-1, E310J,
310K, L, N, P, T310F,
310G, T310G, *320, A

<u>Part Name and Number</u>	<u>Design Data and Approval Means</u>	<u>Eligible On</u>
Anti-Collision Strobe Light System. Model ND, NR or HS (14 or 28 volt)	Whelen "Engineering & Assembly Drawings for Model H Series Aviation & Anti-Collision Strobe Light System" dated 4/20/70. STC SA615EA Amended 11/7/72	B, C, D, E, 320F, 320 340, *336, 337, 337A, B, C, D, E, F, T337D, E, F, G, *401, 401A, B, 402, 402A, B, 411, 411A, 421, 421A, 414, 421B
		DeHavilland of Canada DHC-2 MK. I, MK. II, MK. III, DEC-3, DEC-6 Models 1, 100, 110, 200, 210, 300
		Fairchild Hiller FH-1100.
		Helio H250, H-295, H-391, H-391B, H-395, H-395A.
		Hughes 269A, 269A-1, 269B, 269C, 369, A, H, HM, HS, HE
		Piper **PA-11, **PA-1 **PA-14, **PA-15, **PA-16, **PA-17, **PA-18 Series, PA-19 **PA-20, **PA-22 Seri **PA-25 Series, PA-23 PA-23-160, *PA-23-235 *PA-23-250, *PA-E23-2 PA-24, -24-250, -24-2 -24-400, PA-28-140, PA-28-150, PA-28-160, PA-28-S-180, PA-28R-1 PA-28-180, PA-28-235, PA-28-S-160, PA-28R-2 PA-30, PA-39, PA-31, PA-31-300, PA-31P, PA-32-260, -300, -328