


WHELEN[®] ENGINEERING COMPANY INC.

Route 145, Winthrop Road,
Chester, Connecticut 06412
Phone: (860) 526-9504
Fax: (860) 526-4078

Internet: www.whelen.com
Sales e-mail: autosale@whelen.com
Canadian Sales e-mail: autocan@whelen.com
Customer Service e-mail: custserv@whelen.com



WARNING! The model 2TERM flasher is designed as a direct replacement for Type 552 vehicle flashers. Use of the 2TERM flasher in systems that do not use Type 552 requires the installer to confirm the configuration of their system BEFORE installation. Failure to do so could result in damage to both the 2TERM and the vehicle's electrical system.

Note! All customer supplied wires that connect to the positive (+) terminal of the battery, must be sized to supply at least 125% of the maximum operating current, and fused "at the battery" to carry that load.


©1999 Whelen Engineering Company Inc.
Form No.13450 (041299)

Installation Guide Model 2TERM Flasher

WHELEN[®] ENGINEERING COMPANY INC.

Route 145, Winthrop Road,
Chester, Connecticut 06412
Phone: (860) 526-9504
Fax: (860) 526-4078

Internet: www.whelen.com
Sales e-mail: autosale@whelen.com
Canadian Sales e-mail: autocan@whelen.com
Customer Service e-mail: custserv@whelen.com



WARNING! The model 2TERM flasher is designed as a direct replacement for Type 552 vehicle flashers. Use of the 2TERM flasher in systems that do not use Type 552 requires the installer to confirm the configuration of their system BEFORE installation. Failure to do so could result in damage to both the 2TERM and the vehicle's electrical system.

Note! All customer supplied wires that connect to the positive (+) terminal of the battery, must be sized to supply at least 125% of the maximum operating current, and fused "at the battery" to carry that load.

©1999 Whelen Engineering Company Inc.
Form No.13450 (041299)