

M Series™

Surface Mount Super-LED® Lightheads

With a unique lens shape and patented Linear-LED® designed reflector assembly, M Series lightheads are completely illuminated for unmatched high intensity warning and low current consumption.



FEATURES

- SAE Class 1 Certified (warning)
- Available in single or split colors
- Available with Clear or color lenses
- Multiple Scan-Lock™ flash patterns, many being California Title XIII compliant. Meets KKK-1822F, NFPA 1901, NFPA 1917, SAE, and EC65 specifications
- Choose flash patterns from solid, left/right, top/bottom, in/out, or diagonal sequencing
- Brake/tail/turn, turn, and back-up lights meet applicable SAE requirements
- Available in steady-burn or with an internal flasher
- Warning lights with internal flasher have sync and low power functions
- M2 features sync function only
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals
- Surface mounts via two screws for easy installation
- A variety of mounting brackets and optional Chrome or Black flanges are available
- Five year warranty

MODELS

Model	Type	Color	Lens	Amp Draw
M6 Series with Internal Flasher & Synchronize Feature				
M6*	Warning	A, B, R, W	Color	Simultaneous: 2.2 peak, 0.9 average
M6*C		A, B, R	Clear	
M6#		Split R/W, R/B, R/A		
M6 Models requiring LED Flasher (purchased separately)				
M6*S	Warning	A, B, R, W	Color	Alternating: 1.1 peak, 0.45 average
M6*CS		A, B, R	Clear	
M6 Utility Lightheads				
M6BTT	Brake/tail/turn	R	Color	Brake/Turn - 0.85 average Tail - 0.06 average
M6T	Amber turn signal	A		0.75 average
M6BUW	Back-up light	W	Clear	1.6 average
M6ZC	Scenelight	W		2.0 average
M6 Series Options				
M6FC	Flange			Chrome
M6FB	Flange			Black
M6FCV2	Flange for 2 lamps, vertical			Chrome
M6FCV3	Flange for 3 lamps, vertical			
M6FCV4	Flange for 4 lamps, vertical			
M6FC600	Flange adapts M6 to 600 Series mounting			
M6HDLMTK	Headlight mount for ATI & KD with hardware			
M6BRUSH	Brush guard			Black
M6P15C	15° Angled surface mount housing			Chrome
M6P15B				Black
M6PTM5F	Front light pod for 8 lightheads, 2015-2017 Ford Transit, Medium Roof			Black, paintable to match vehicle
M6PT5R	Rear 2 piece light pod for 6 lightheads, 2015-2017 Ford Transit, Medium or High Roof			
M6PTH5F	Front light pod for 8 lightheads, 2015-2017 Ford Transit, High Roof			
M6WLENX	NEW Replace Clear lens with a Smoked lens, for M6 warning models only			



M6 Series

FEATURES

- Solid color models have 159 Scan-Lock™ flash patterns
- Split color models have 64 Scan-Lock flash patterns
- Available in warning, brake/tail/turn, turn, back-up, and scene light models
- Front or rear lighbar pods house multiple M6 lightheads for the 2015-2017 Ford Transit Medium or High Roof
- Size with flange: 4-5/16 (109mm) H x 1-3/8" (36mm) D x 6-3/4" (170mm) L



MODELS

Model	Type	Color	Lens	Amp Draw
M7 Series with Internal Flasher & Synchronize Feature				
M7*	Warning	A, B, R, W	Color	Simultaneous: 2.5 peak, 0.9 average
M7*C		A, B, R	Clear	
M7#		Split R/W, R/B, R/A		
M7 Models requiring LED Flasher (purchased separately)				
M7*S	Warning	A, B, R, W	Color	Alternating: 1.125 peak, 0.45 average
M7*CS		A, B, R	Clear	
M7 Utility Lightheads				
M7ZC	Scenelight	W	Clear	2.25 average
M7 Series Options				
M7FC	Flange			Chrome
M7FB	Flange			Black
M7FC700	Polished aluminum flange			Chrome
M7BRUSH	Brush guard			Black
M7BKT1	Universal mounting bracket for one light			
M7WLENX	NEW Replace Clear lens with a Smoked lens, for M7 warning models only			



M7 Series

FEATURES

- Solid color models have 159 Scan-Lock flash patterns
- Split color models have 64 Scan-Lock flash patterns
- Available in warning and scene light models
- Size with flange: 3-3/8 (86mm) H x 1-3/8" (36mm) D x 7-5/8" (194mm) L



Replace * symbol in model number with letter indicating color desired: A=Amber, B=Blue, C= Clear/White, R=Red
 Replace # symbol in model number with letter indicating split color desired:
 D=Red/White, E=Blue/White, F=Amber/White, J=Red/Blue, K=Red/Amber, M=Blue/Amber





MODELS

M9 Series

FEATURES

- Solid color models have 159 Scan-Lock™ flash patterns
- Split color models have 64 Scan-Lock flash patterns
- Available in warning, brake/tail/turn, turn, back-up, and scenelight models
- Size with flange: 6-1/2 (165mm) H x 1-3/8" (36mm) D x 10-3/8" (263mm) L

Model	Type	Color	Lens	Amp Draw
M9 Series with Internal Flasher & Synchronize Feature				
M9*	Warning	A, B, R, W	Color	Simultaneous: 3.0 peak, 1.2 average
M9*C		A, B, R	Clear	
M9#		Split R/W, R/B, R/A		
M9 Models requiring LED Flasher (purchased separately)				
M9*S	Warning	A, B, R, W	Color	Alternating: 1.2 peak, 0.6 average
M9*CS		A, B, R	Clear	
M9 DUO™ Series, Scan-Lock, Low Power				
M92#	DUO Warning	R/B, R/W, B/A, B/W, A/W	Color	
M9 Utility or Combo Lightheads				
M9BTT	Brake/tail/turn	R	Color	Brake/Turn - 0.75 average Tail - 0.55 average
M9T	Amber turn signal	A		1.2 average
M9BUW	Back-up light	W	Clear	1.8 average
M9LZC	Scenelight	W		6.0 average
M9*CZ	Combination Warning/Scenelight	A/W, R/W, B/W, W/W		Warning - 1.58 average Scenelight - 1.53 average
M9JCZ	NEW DUO Combination Warning/Scenelight	R/B/W	Clear	Warning - 1.58 average per color Scenelight - 1.53 average
M9 Series Options				
M9FC	Flange			Chrome
M9FB	Flange			Black
M9FC900	Flange adapts M9 Warning to 900 Series mount			Chrome
M9FCZ900	Flange adapts M9 Scenelight to 900 Series mount			Chrome
M9BRUSH	Brush guard			Black
M9HTM5FC	Front Driver and Passenger Side of the 2015-2017 Ford Transit Medium Roof, sold in pairs			Chrome-Plated
M9HTM5RC	Rear Driver and Passenger Side of the 2015-2017 Ford Transit Medium Roof, sold in pairs			
M9HTH5FC	Front Driver and Passenger Side of the 2015-2017 Ford Transit High Roof, sold in pairs			
M9HTH5RC	Rear Driver and Passenger Side of the 2015-2017 Ford Transit High Roof, sold in pairs			



Replace * symbol in model number with letter indicating color desired: A=Amber, B=Blue, C= Clear/White, R=Red
 Replace # symbol in model number with letter indicating split color desired:
 D=Red/White, E=Blue/White, F=Amber/White, J=Red/Blue, K=Red/Amber, M=Blue/Amber