

EZ SCENE LIGHTS™

PROFESSIONAL ILLUMINATION LIGHTING

Control the scene with Whelen's
versatile scene lighting



WHELEN[®]
MANUFACTURED IN AMERICA

M9 & M6 EZ SCENE LIGHT™



M92SLC

The M6 and M9 EZ Scene Lights feature expanded zone efficiency, enhanced optics, and increased functionality to provide a powerful scene lighting solution for every situation. Plus, select from multiple turn-on styles and low-power settings for more efficient lighting output and performance. M Series™ lightheads feature a unique lens shape and patented Linear-LED® reflector assembly for unmatched high-intensity illumination with low current consumption.

- Redesigned optic aesthetics, light output, and light pattern optimize light dispersion
- Gradient Opti-Scenelight™ technology enables efficient use of light
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals
- Selectable turn-on functionality
 - Multiple turn-on styles ranging from instant to gradual (Slow, Medium, Fast, Instant)
 - Three low-power settings provide situation-specific lighting for a variety of scenarios
- Surface mount
- 6" pigtail cable included
- 10-year warranty

CERTIFICATIONS

- IP67

SPECS

- M9: 12 or 24 VDC models
- M6: 10-30 VDC models

DIMENSIONS

- M9: 10.35" (263mm) W x 6.28" (160mm) H x 2.39" (61mm) D
- M6: 6.77" (172mm) W x 4.37" (111mm) H x 1.71" (44mm) D

For additional details please visit www.whelen.com.

MODEL	COLOR	FLANGE	VDC
M92SLC	White	Chrome	12
M92SLB		Black	
M92SLC4		Chrome	24
M92SLB4		Black	
M62SLC		Chrome	10-30
M62SLB		Black	

900 & 600 EZ SCENE LIGHT™



904SLC

Our premium 600 and 900 EZ Scene Lights provide optimal versatility and performance. Featuring high-intensity white illumination with expanded options and functionality, these adaptable lightheads supply powerful scene lighting for a wide range of situations. Multiple vehicle application options are available, and installation is easy.

- Redesigned optic aesthetics, light output, and light pattern optimize light dispersion
- Gradient Opti-Scenelight™ technology enables efficient use of light
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals
- Selectable turn-on functionality
 - Multiple turn-on styles ranging from instant to gradual (Slow, Medium, Fast, Instant)
 - Three low-power settings provide situation-specific lighting for a variety of scenarios
- Surface mount
- 6" pigtail cable included
- 5-year warranty

CERTIFICATIONS

- IP67

SPECS

- Voltage: 900 Series: 12 or 24 VDC models
- 600 Series: 10-30 VDC models

DIMENSIONS

- 900: 10.82" (275mm) W x 8.0" (204mm) H x 2.63" (67mm) D
- 600: 8.27" (210mm) W x 5.20" (132mm) H x 1.76" (44mm) D

For additional details please visit www.whelen.com.

MODEL	COLOR	FLANGE	VDC
904SLC	White	Chrome	12
904SLB		Black	
904SLC4		Chrome	24
904SLB4		Black	
604SLC		Chrome	10-30
604SLB		Black	

WORKSIDE™ LIGHT



Lighthouse shown Chrome flange

WorkSide lights are a game-changer when it comes to illuminating the immediate perimeter of your vehicle. Light is projected down and out, so your workspace is clearly visible, without causing any eye discomfort or blinding glare when looking at it straight on. WorkSide lights are quick to install, sleek, and low-profile for easy mounting on virtually any area of a vehicle, including tight spaces where depth is a concern. And its compact, space-saving design makes it ideal for any emergency, work, or utility vehicle. By providing exceptional work zone illumination and improved visibility around a vehicle's perimeter, WorkSide creates a safer working environment for first responders, utility workers, and motorists.

- Light is projected down and out to a 10'x10' ground area for increased visibility and expanded view of work areas
- Sleek, low-profile, Strip-Lite™ style footprint
- Patented E Block™ technology prevents moisture from entering the lighthouse
- Selectable turn-on functionality
 - Multiple turn-on styles ranging from instant to gradual (Slow, Medium, Fast, Instant)
 - Three low-power settings provide situation-specific lighting for a variety of scenarios
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals
- Low power and low current consumption
- 10-year warranty

CERTIFICATIONS

- IP67

SPECS

- 10-30 VDC

DIMENSIONS

- 2.29" (59mm) H x 14.23" (362mm) L x 1.03" (27mm) D

For additional details
please visit www.whelen.com.

MODEL	COLOR	FLANGE	VDC
WSLC	White	Chrome	10-30
WSLB		Black	